

MOD-P100(-B)
MOD-P150(-B)
MOD-P200(-B)
MOD-P300(-B)

Extension Poles

FOR MODULAR SERIES FLAT PANEL DISPLAY AND PROJECTOR MOUNTS

The Peerless-AV® Modular Mounts Line features a full range of products that can fulfill multiple requirements from a limited number of SKUs. With the universality of the components, configure your own perfect custom flat-panel display or projector mounting solution for any application. The Modular Mount Line was developed with the professional AV installer in mind. Designed around a 2" (50mm) diameter pole, the line is ideal for new projects as well as for upgrading existing installations. The MOD-P100/150/200/250 Extension Poles are designed for use with the Peerless-AV Modular Series Mounts. They offer a perfect solution for tailoring each unique installation with custom cut-to-length poles.

- 2" (50mm) diameter pole
- Cuttable to desired length
- Zinc-plated or black



Black model shown,
MOD-P100-B/P150-B/P200-B/P300-B



Zinc-plated model shown,
MOD-P100/P150/P200/P300



Please visit peerless-av.com/en-us/patents for patent information.

Model Numbers

WARRANTY: Limited 5-year

MOD-P100(-B)	39" (1m) Length Extension Pole for Modular Series Flat Panel Display and Projector Mounts
MOD-P150(-B)	59" (1.5m) Length Extension Pole for Modular Series Flat Panel Display and Projector Mounts
MOD-P200(-B)	78" (2m) Length Extension Pole for Modular Series Flat Panel Display and Projector Mounts
MOD-P300(-B)	118" (3m) Length Extension Pole for Modular Series Flat Panel Display and Projector Mounts

Product Specifications

	DIMENSIONS (W X H X D)	PRODUCT WEIGHT	LOAD CAPACITY	FINISH	AVAILABLE COLORS
MOD-P100(-B)	2.00" x 3.20' x 2.00" (50 x 975 x 50mm)	4.7lb (2.1kg)	N/A	Powder Coat	Zinc-plated or Black
MOD-P150(-B)	2.00" x 4.90' x 2.00" (50 x 1493 x 50mm)	6.4lb (2.9kg)			
MOD-P200(-B)	2.00" x 6.50' x 2.00" (50 x 1981 x 50mm)	9.0lb (4kg)			
MOD-P300(-B)	2.00" x 9.84' x 2.00" (50 x 2999 x 50mm)	13.8lb (6.2kg)			


Package Specifications

	PACKAGE SIZE (W x H x D)	PACKAGE SHIP WEIGHT	PACKAGE UPC CODE	PACKAGE CONTENTS	UNITS IN PACKAGE
MOD-P100(-B)	2.50" x 41.00" (63 x 1054mm)	5lb (2.2kg)	MOD-P100: 735029279020	Extension Pole	1
MOD-P150(-B)	2.50" x 61.00" (63 x 1549.4mm)	7.4lb (3.3kg)	MOD-P150: 73502926995		
MOD-P200(-B)	2.50" x 81.00" (63 x 2057.4mm)	10lb (4.5kg)	MOD-P200: 735029279037		
MOD-P300(-B)	2.50" x 120.00" (63 x 3048mm)	14.8lb (6.7kg)	MOD-P300: 73502926996		
			MOD-P100-B: 735029290179		
			MOD-P150-B: 735029290216		
			MOD-P200-B: 735029290223		
			MOD-P300-B: 735029290421		

Accessories

MOD-ACF(-W):	Accessory Cover for MOD-CPF Ceiling Plate	MOD-ATD-W:	Accessory Trim Disc	MOD-CPI:	I-Beam Ceiling Plate, Flat
MOD-APC:	Accessory Pole Coupler	MOD-AUB:	Accessory U-Bolt Adaptor	MOD-FPMD:	Flat Panel Mount, Dual Back-To-Back
MOD-APRG(-W):	Accessory Projector Adaptor, PRG Mount	MOD-ASC:	Display Stacking Clamp	MOD-FPMS:	Single Display Mount
MOD-APRS(-W):	Accessory Projector Adaptor, PRS Mount	MOD-CPC(-W):	Ceiling Plate, Cathedral	MOD-UNM:	Universal Display Adaptor, Medium
MOD-ADF:	Pole Drill Fixture	MOD-CPF:	Square Ceiling Plate, Flat (7.4" x 6.8")	MOD-UNL:	Universal Display Adaptor, Large

All dimensions = inch (mm)



Architect Specifications

The Extension Pole shall be Peerless-AV model MOD-P100/P150/P200/P300(-B) and shall be located where indicated on the plans. Assembly and installation shall be done according to instructions provided by the manufacturer.

Visit peerless-av.com to see the complete line of AV solutions from Peerless-AV, including outdoor displays, kiosks, display mounts, projector mounts, carts/stands, and a full assortment of accessories.

Peerless-AV
2300 White Oak Circle
Aurora, IL 60502
USA
(800) 865-2112
(630) 375-5100

Peerless-AV EMEA
Unit 2 Curo Park
Frogmore, St. Albans
Hertfordshire, AL2 2DD
United Kingdom
+44 (0) 1923 200 100

Peerless-AV B.V.
Papendorpsweg 75
3528 BJ Utrecht
The Netherlands
+31 (0) 70 770 8037

Peerless-AV Latin America
Av. de las Industrias 413
Parque Industrial Escobedo
General Escobedo, N.L.,
México, 66062
+52 (81) 8384-8300

peerless-AV®
Driving Technology Through Innovation

LIT-0959 rev.2

MOD-AWM2



Display size
46"-90"*



Max load
211lb (96kg)*
per display

Modular Series Dual-Pole Wall Mount Interface

FOR 46" TO 90" DISPLAYS*

Peerless-AV's Modular Mount Series features a full range of products to fulfill multiple requirements with a limited number of components. The universality of the components allows you to configure your own perfect custom flat-panel display or projector mounting solution for any application. The Modular Mount Series was developed with the professional AV installer in mind with a 2" (50mm) diameter support pole that can be easily cut to length on the job site making it ideal for new projects as well as for upgrading existing installations. The MOD-AWM2 provides modular support for a range of video wall mount plates, including standard flat and tilt.

The universal design of the MOD-AWM2 allows you to configure your desired application just the way you want it, making a perfect installation possible.



Additional Features

- ✓ Provides compatibility with Peerless-AV Flat, Tilt and Video Wall mounts onto the Modular Series Dual Pole configurations
- ✓ When used as a display mount, displays can be mounted in portrait or landscape orientation
- ✓ VESA® 200, 300 & 400mm mounting holes for 46" to 90" displays when used as a display mount*
- ✓ 211lb (96kg) max weight capacity when used as a display mount*

*Reference mount specifications when used with optional Flat, Tilt or Video Wall Mounts



VERSATILE POSITION


Can be clamped at any point along pole length for ideal display placement

DUAL-POLE WALL MOUNT INTERFACE

Provides compatibility with Peerless-AV Flat, Tilt and Video Wall mounts onto the Modular Series Dual Pole configurations



2x2 LANDSCAPE VIDEO WALL
Shown in Modular Series Dual Pole
Free Standing configuration
(SmartMount® Full Service Video Wall Mount, DS-VW765-LAND, required)



3x3 LANDSCAPE VIDEO WALL
Shown in Modular Series Dual Pole
Floor-to-Ceiling configuration
(SmartMount® Full Service Video Wall Mount with Quick Release, DS-VW765-LQR, required)



3x2 PORTRAIT VIDEO WALL
Shown in Modular Series Dual Pole
Floor-to-Wall configuration
(SmartMount® Full Service Video Wall Mount with Quick Release, DS-VW765-PQR, required)



MOD-AWM2	Modular Series Dual-Pole Wall Mount Interface for 46" to 90" Displays*				
----------	--	--	--	--	--

Product Specifications

*Reference mount specifications when used with optional Flat, Tilt or Video Wall Mounts

	DIMENSIONS (W x H x D)	PRODUCT WEIGHT	LOAD CAPACITY	FINISH	AVAILABLE COLORS
MOD-AWM2	18.00" x 2.00" x 3.39" (457 x 51 x 86mm)	6.5lb (3.0kg)	211lb (96kg)* per display	Powder Coat	Black


Package Specifications

	PACKAGE SIZE (W x H x D)	PACKAGE SHIP WEIGHT	PACKAGE UPC CODE	PACKAGE CONTENTS	UNITS IN PACKAGE
MOD-AWM2	25.00" x 4.25" x 4.38" (635 x 108 x 111mm)	7.0lb (3.2kg)	735029301097	MOD-AWM2, mounting hardware & instructions	1

Accessories

MOD-CPI2:	Dual Pole I-Beam Ceiling Plate	DS-VW765-LQR:	SmartMount® Full Service Video Wall Mount with Quick Release - Landscape for 46" to 65" Displays
MOD-WP2:	Dual Pole Wall Plate	DS-VW765-PQR:	SmartMount® Full Service Video Wall Mount with Quick Release - Portrait For 42" to 65" Displays
MOD-FPP2:	Dual Pole Free Standing Floor Plate	DS-VW765-LAND:	SmartMount® Full Service Video Wall Mount - Landscape For 40" to 65" Displays
MOD-CPF2:	Dual Pole Square Ceiling/Floor Plate, Flat	DS-VW765-POR:	SmartMount® Full Service Video Wall Mount - Portrait for 42" to 65" Displays
MOD-ACF2:	Dual Pole Cosmetic Cover		
ACC925:	Security Fastener Pack		
MOD-P100/150/200/300(-B):	Extension Poles		
SF640 to SF680 models:	SmartMount® Flat Wall Mounts		
ST640 to ST680 models:	SmartMount® Tilt Wall mounts		

All dimensions = inch (mm)



Architect Specifications

The Modular Series Dual-Pole Wall Mount Interface shall be a Peerless-AV model MOD-AWM2 and shall be located where indicated on the plans. Assembly and installation shall be done according to instructions provided by the manufacturer.

Visit peerless-av.com to see the complete line of AV solutions from Peerless-AV, including outdoor displays, wireless, kiosks, digital audio, display mounts, projector mounts, carts/stands, and a full assortment of accessories.


Peerless-AV
2300 White Oak Circle
Aurora, IL 60502 USA
(800) 865-2112
(630) 375-5100
Fax: (800) 359-6500

Peerless-AV Europe
Unit 3 Watford Interchange
Colonial Way, Watford
Herts, WD24 4WP
United Kingdom
+44 (0) 1923 200100
Fax: +44 (0) 1923 200101

Peerless-AV de México
Ave de las Industrias 413
Parque Industrial Escobedo
Escobedo, N.L.,
Mexico 66050
+52 (81) 8384-8300
Fax: +52 (81) 8384-8360



SF680(P)



Mounting Pattern
1100 x 650mm
(43.29" x 25.59")



Max Load
350lb
(158kg)


SMARTMOUNT®

Universal Flat Wall Mount


FOR 60" TO 98" DISPLAYS*

Peerless-AV's SmartMount® Universal Flat Wall Mount delivers an ultra-slim profile designed to hold large displays up to 350lb. Installation and maintenance are made easy with the SF680's robust feature set. Auto-latching adaptor rails automatically secure the display without the use of a tool. The mount's built-in kickstand holds the display safely from the wall during cable routing, while the open wall plate allows for increased electrical and cable management options. Horizontal and vertical display adjustment allow for quick fine-tuning of the mounted display.

- Universal mount fits displays with mounting patterns up to 1100 x 650mm (43.29" W x 25.59" H)
- Low-profile design holds display only 1.73" (44mm) from the wall
- Easy hang wall plate allows a bolt to be pre-installed to ease wall plate installation
- Lateral display adjustment up to 19.25" (489mm)
- 1" of post-installation vertical adjustment provides flexibility in the installation
- Includes fastener pack with all necessary mounting and display attachment hardware (including M10)
- For mounts requiring theft resistant hardware, installed with security tool (included), please purchase SF680
- For mounts requiring standard hardware, installed with a Philips screwdriver, please purchase SF680P



Please visit peerless-av.com/en-us/patents for patent information.



Low-profile design for a sleek, yet compact installation.



Comes in color packaging with included installation hardware and easy to follow instructions.

*This display size range is simply a guideline for product selection. Displays larger than the screen size range may still be compatible as long as they fall within the VESA® pattern and max weight of the Peerless-AV® product.

SF680P	SmartMount® Universal Flat Wall Mount for 60" to 98" Displays - Standard Models
SF680	SmartMount® Universal Flat Wall Mount for 60" to 98" Displays - Security Models

Product Specifications


	DIMENSIONS (W x H x D)	PRODUCT WEIGHT	LOAD CAPACITY	FINISH	AVAILABLE COLORS
SF680(P)	45.75" x 27.48" x 1.73" (1162 x 698 x 44mm)	17.30lb (7.8kg)	350lb (158kg)	Scratch Resistant Fused Epoxy	Semi-Gloss Black

Package Specifications

	PACKAGE SIZE (W x H x D)	PACKAGE SHIP WEIGHT	PACKAGE UPC CODE	PACKAGE CONTENTS	UNITS IN PACKAGE
SF680(P)	46.70" x 2.30" x 15.40" (1185 x 58 x 390mm)	20.30lb (9.21kg)	SF680: 735029242239 SF680P: 735029242246	Wall Mount, Wall and Display Installation Hardware, Installation Instructions	1

Accessories	ACC615:	6-pack Metal Stud Fastener Kit	ACC-V1500X:	Adaptor for VESA® 1200mm or 1500mm Mounting Patterns
	ACC309:	Video Conference Shelf	ESHV models:	AV Wall Shelves
	ACC-UCM:	Universal AV Component Mount	IBA4-W:	Easy Mount Recessed Low Voltage Cable Plate

All dimensions = inch (mm)



Architect Specifications

The SmartMount® Universal Flat Wall Mount shall be a Peerless-AV model SF680(P) and shall be located where indicated on the plans. Assembly and installation shall be done according to instructions provided by the manufacturer.

Visit peerless-av.com to see the complete line of AV solutions from Peerless-AV, including outdoor displays, kiosks, display mounts, projector mounts, carts/stands, and a full assortment of accessories.

Peerless-AV
2300 White Oak Circle
Aurora, IL 60502 USA

(800) 865-2112
(630) 375-5100

Peerless-AV EMEA
Unit 2 Curo Park
Frogmore, St. Albans
Hertfordshire, AL2 2DD
United Kingdom

+44 (0) 1923 200100

Peerless-AV B.V.
Papendorpseweg 75
3528 BJ Utrecht
The Netherlands

+31 (0) 70 770 8037

Peerless-AV Latin America
Av. de las Industrias 413
Parque Industrial Escobedo
General Escobedo, N.L.,
México, 66062

+52 (81) 8384-8300



MOD-CPF2



Display size
46"-90"



Max load
422lb (192kg)

Modular Series Dual-Pole Square Ceiling/Floor Plate, Flat

FOR WOOD OR CONCRETE CEILINGS OR FLOORS

Peerless-AV's Modular Mount Series features a full range of products to fulfill multiple requirements with a limited number of components. The universality of the components allows you to configure your own perfect custom flat-panel display or projector mounting solution for any application. The Modular Mount Series was developed with the professional AV installer in mind with a 2" (50mm) diameter support pole that can be easily cut to length on the job site making it ideal for new projects as well as for upgrading existing installations.

The dual pole design of the MOD-CPF2 provides strength and stability, so you are able to install larger displays within your application.



Additional Features

- ✓ Heavy duty flat ceiling/floor plate
- ✓ Mounts to concrete and wood joist ceilings or floor
- ✓ 422lb (192kg) max weight capacity when used as a ceiling mount



■ DUAL POLES

Provides added stability with heavier and larger displays

■ MOUNTS TO WOOD JOIST OR CONCRETE

Works in almost any application



MOD-CPI2 shown with Dual Pole Cosmetic Cover, MOD-ACF2



MOD-CPF2	Modular Series Dual-Pole Square Ceiling/Floor Plate, Flat for wood or concrete ceilings or floors				
----------	---	--	--	--	--

Product Specifications

	DIMENSIONS (W x H x D)	PRODUCT WEIGHT	LOAD CAPACITY	FINISH	AVAILABLE COLORS
MOD-CPF2	7.75" x 3.94" x 7.48" (197 x 100 x 190mm)	3.0lb (1.36kg)	422lb (192kg)	Powder Coat	Black


Package Specifications

	PACKAGE SIZE (W x H x D)	PACKAGE SHIP WEIGHT	PACKAGE UPC CODE	PACKAGE CONTENTS	UNITS IN PACKAGE
MOD-CPF2	12.63" x 10.00" x 4.25" (321 x 254 x 108mm)	4.0lb (1.8kg)	735029301127	MOD-CPF2, mounting hardware, instructions	1


Accessories

MOD-P100/150/200/300(-B):	Extension Poles	ACC925:	Security Fastener Pack
MOD-ASC2:	Dual Pole Display Mount Stacking Clamp	MOD-CPI2:	Dual Pole I-Beam Ceiling Plate
MOD-FPMS2:	Dual Pole Single Display Mount	MOD-WP2:	Dual Pole Wall Plate
MOD-FPMD2:	Dual Pole Back-to-Back Display Mount	MOD-ACF2:	Dual Pole Cosmetic Cover
MOD-UNL2:	Dual Pole Large Universal Adaptor		


All dimensions = inch (mm)



TOP VIEW



FRONT VIEW



SIDE VIEW

Architect Specifications

The Modular Series Dual-Pole Square Ceiling/Floor Plate, Flat shall be a Peerless-AV model MOD-CPF2 and shall be located where indicated on the plans. Assembly and installation shall be done according to instructions provided by the manufacturer.

Visit peerless-av.com to see the complete line of AV solutions from Peerless-AV, including outdoor displays, wireless, kiosks, digital audio, display mounts, projector mounts, carts/stands, and a full assortment of accessories.

Peerless-AV
2300 White Oak Circle
Aurora, IL 60502 USA
(800) 865-2112
(630) 375-5100
Fax: (800) 359-6500

Peerless-AV Europe
Unit 3 Watford Interchange
Colonial Way, Watford
Herts, WD24 4WP
United Kingdom
+44 (0) 1923 200100
Fax: +44 (0) 1923 200101

Peerless-AV de México
Ave de las Industrias 413
Parque Industrial Escobedo
Escobedo, N.L.,
Mexico 66050
+52 (81) 8384-8300
Fax: +52 (81) 8384-8360



MOD-ACF2



Display size
46"-90"



Max load
422lb (192kg)

Modular Series Dual-Pole Cosmetic Cover

FOR MODULAR SERIES SQUARE CEILING/FLOOR PLATE


Peerless-AV's Modular Mount Series features a full range of products to fulfill multiple requirements with a limited number of components. The universality of the components allows you to configure your own perfect custom flat-panel display or projector mounting solution for any application. The Modular Mount Series was developed with the professional AV installer in mind with a 2" (50mm) diameter support pole that can be easily cut to length on the job site making it ideal for new projects as well as for upgrading existing installations. The MOD-ACF Accessory Cover provides both aesthetics and a secure covering for the Modular Series Square Ceiling Plate (MOD-CPF).

MOD-ACF2 helps create a high quality, professional appearance, which is key when using this product in public applications.



Additional Features

- ✓ Accessory cover for Modular Series Ceiling / Floor Plate, MOD-CPF2



■ **DUAL POLES**
Provides added stability with heavier and larger displays

■ **SECURITY SCREW USED TO HOLD COVER IN PLACE**
Helps prevent tampering



MOD-ACF2 shown with Dual Pole Square Ceiling/Floor Plate, MOD-CPF2



MOD-ACF2	Modular Series Dual-Pole Cosmetic Cover for modular series square ceiling/floor plate				
----------	---	--	--	--	--

Product Specifications

	DIMENSIONS (W x H x D)	PRODUCT WEIGHT	LOAD CAPACITY	FINISH	AVAILABLE COLORS
MOD-ACF2	8.04" x 1.22" x 8.05" (204 x 31 x 204mm)	1.0lb (.45kg)	422lb (192kg)	Powder Coat	Black


Package Specifications

	PACKAGE SIZE (W x H x D)	PACKAGE SHIP WEIGHT	PACKAGE UPC CODE	PACKAGE CONTENTS	UNITS IN PACKAGE
MOD-ACF2	9.63" x 6.00" x 5.19" (245 x 152 x 132mm)	1.5lb (.68kg)	735029301103	MOD-ACF2, mounting hardware, instructions	1


Accessories

MOD-P100/150/200/300(-B):	Extension Poles	MOD-UNL2:	Dual Pole Large Universal Adaptor
MOD-ASC2:	Dual Pole Display Mount Stacking Clamp	ACC925:	Security Fastener Pack
MOD-FPMS2:	Dual Pole Single Display Mount	MOD-WP2:	Dual Pole Wall Plate
MOD-FPMD2:	Dual Pole Back-to-Back Display Mount	MOD-CPF2:	Dual Pole Square Ceiling/Floor Plate, Flat


All dimensions = inch (mm)



TOP VIEW



FRONT VIEW



SIDE VIEW

Architect Specifications

The Modular Series Dual-Pole Cosmetic Cover shall be a Peerless-AV model MOD-ACF2 and shall be located where indicated on the plans. Assembly and installation shall be done according to instructions provided by the manufacturer.

Visit peerless-av.com to see the complete line of AV solutions from Peerless-AV, including outdoor displays, wireless, kiosks, digital audio, display mounts, projector mounts, carts/stands, and a full assortment of accessories.

Peerless-AV
2300 White Oak Circle
Aurora, IL 60502 USA

(800) 865-2112
(630) 375-5100
Fax: (800) 359-6500

Peerless-AV Europe
Unit 3 Watford Interchange
Colonial Way, Watford
Herts, WD24 4WP
United Kingdom
+44 (0) 1923 200100
Fax: +44 (0) 1923 200101

Peerless-AV de México
Ave de las Industrias 413
Parque Industrial Escobedo
Escobedo, N.L.,
Mexico 66050
+52 (81) 8384-8300
Fax: +52 (81) 8384-8360

