

Specifiche

Display	Luce posteriore Crystal-UHD 4K	Dimensione dello schermo 43
	Risoluzione 4K (3,840 x 2,160)	
Video	Processore Quantum Processor Lite	Micro Dimming UHD Dimming
	Auto Motion Plus Sì	Clear Motion LED Clear Motion
	Modalità Film Sì	PQI (Picture Quality Index) 2200
	HDR(High Dynamic Range) HDR	HDR10+ Support
	HLG (Hybrid Log Gamma) Sì	Contrast Mega Contrast
	Colore Dynamic Crystal Color	Angolo di visione (orizz./vert.) 178/178
	Contrast Enhancer Sì	

Audio	Dolby Decoder MS12 2ch	Object Tracking Sound OTS Lite
	Potenza Audio (RMS) 20W	Tipologia Altoparlanti 2CH
	Woofer N/D	Bluetooth Audio Sì
VESA	VESA Mount 200 x 200 mm	VESA Screw Size M8
	VESA Screw Depth 11-13	
Convergence	TV to Mobile - Second TV N/D	Mobile to TV - Mirroring, DLNA Sì
	Ambient Mode Ambient Mode	360 Camera Support N/D
	Easy Setup N/D	Bluetooth Low Energy N/D
	WiFi Direct Sì	TV Sound to Mobile N/D
	Sound Mirroring Sì	

Caratteristiche generali

Voice Guide

UK English, Finnish, France French, German, Greek, Hungarian, Italian, Norwegian, Polish, Portugal Portuguese, Romanian, Slovak, Spain Spanish, Swedish, Czech, Danish, Dutch, Korean

Spegnimento Automatico

Sì

Connect Share™ (HDD)

Sì

EPG

Sì

Picture-In-Picture

N/D

Supporto USB HID

Sì

V-Chip

N/D

IPv6 Support

Sì

Ricerca Canali Automatica

Sì

Sottotitoli

Sì

ConnectShare™ (USB 2.0)

Sì

Lingue Supportate

27 European Languages + Russian(only when connecting to Network in EE,LV,LT)

BT HID Support

Sì

Teletext (TTX)

Sì

MBR Support

Sì

Sistema

Tuner Digitale / Satellitare

DVB-T2CS2

CI (Common Interface)

CI+(1.4) / CI+(1.4 ECP)_IT only

Tuner Analogico

Sì

Data Broadcasting

HbbTV 2.0.3
(IT,GB,DE,CZ,SK,ES,PL,AT,FR,FI,EE,GR,SI,HR,BE,NL,LU,LT,H
U,CH,PT,DK,ME,TR,RU)/MHEG 5(IE)

Hospitality Feature

H.Browser Compatibility	Samsung LYNK™ REACH (IP)
N/D	N/D
Samsung LYNK™ REACH (RF)	Samsung LYNK™ Cloud
N/D	Sì
Hospitality Home Menu	Hospitality Home Menu 2.0
N/D	N/D
Bluetooth Music Player (Mobile → TV)	Hospitality Plug&Play (Easy Set-up)
N/D	Sì
Auto Source Mode	Power On Mode
N/D	Sì
Hotel Channel List	Channel Menu Display
Sì	Sì
Mixed Channel List (ATSC, DVB-T/T2/C/S2, Analog)	My Channel
Sì	Sì
Energy Saving Mode (BLU Control)	Logo Display with Time Out Setting (BMP/Movie)
Sì	N/D
Welcome Message	RJ12/IR Pass Through
N/D	Sì
Clock Back Up Supply	Software Clock
N/D	N/D
Multi Code Remote Control	Music Mode (Input: PC/AV/Component/HDMI)
N/D	N/D
Music Mode Backlight on/off	TTX Clock Update (Analogue)
N/D	Sì
USB Cloning	Smovie Compatibility
Sì	N/D
On/Off Timer (Schedule)	Wake-up Timer (Alarm)
N/D	Sì
Samsung LYNK™ DRM	Pro:Idiom
Sì	N/D
Pro:Idiom SW	bLAN
N/D	N/D
Security Mode	S/W EPG (Solution EPG)
Sì	N/D

Input & Output

	USB 2 x USB-A	Component In (Y/Pb/Pr) N/D
	Composite In (AV) 0	Ethernet (LAN) 1
	Headphone N/D	Audio Out (Mini Jack / LR) (Side/Rear) N/D
	Digital Audio Out (Optical) 1	RF In (Terrestrial / Cable input / Satellite Input) 1/1(Common Use for Terrestrial)/1
	Ex-Link (Supports RS-232C Gender) N/D	CI Slot 1
	Supporto HDMI A / Return Ch. Sì	Wireless LAN Built-in Sì (WiFi5)
	Anynet+ (HDMI-CEC) Sì	Pillow Speaker Jack N/D
	Variable Audio Out N/D	Variable Audio Out Volume Control N/D
	Video Out N/D	RJ12 (Side/Rear) Sì
	RJP (Remote Jackpack) (Side/Rear) N/D	Headphone ID N/D
	PC/DVI Audio In (Mini Jack) (Side./Rear) N/D	Ethernet Bridge (LAN-Out) N/D

Design

	Colore Cornice NERO	Tipo di base FLOAT LIFT
	Base orientabile (Destra/Sinistra) N/D	Bezel Type 3 Bezel-less
	Light Effect (Deco) N/D	

Eco

	Classe di efficienza energetica G	Sensore Eco Sì
--	---	--------------------------

Alimentazione

Power Supply (V) AC220-240V 50/60Hz	Consumo (Max) 130 W
Consumo (Modalità Energy Saving) N/D	Consumo energetico (stand-by) 0.50 W
Consumo di energia (tipico) 54.0 W	

Dimensioni

Dimensioni unità senza base (LxAxP) 965.5 x 559.9 x 25.7 mm	Dimensioni unità con base (LxAxP) 965.5 x 599.0 x 205.6 mm
Dimensioni Totali con imballaggio (LxAxP) 1093 x 677 x 129 mm	

Peso

Peso senza base 8.4 kg	Peso con base 8.70 kg
Peso Totale con imballaggio 11.20 kg	

Accessori

Telecomando TM2280E(UK : TM2280E + TM1240A)	Batterie telecomando N/D (UK Sì)
Samsung Smart Control (incluso) Sì	Supporto Staffa Mini Sì
Supporto Staffa VESA Sì	Manuale Utente N/D
E-Manual N/D	ANT-Cable N/D
Cavo di alimentazione Sì	Quick Install Guide Sì
Data Cable Sì	Stand Mount Kit N/D
Security Screws (Stand Base) N/D	Optional Stand Support N/D
Cavo Slim Gender N/D	Screwed Battery Cover (Remote Control) N/D
Angle Adaptor (for Side RF tuner) N/D	