

Specifiche

Display

Luce posteriore
Crystal-UHD 4K

Risoluzione
4K (3,840 x 2,160)

Dimensione dello schermo
55

Video

Processore
Quantum Processor Lite

Auto Motion Plus
Sì

Modalità Film
Sì

HDR(High Dynamic Range)
HDR

HLG (Hybrid Log Gamma)
Sì

Colore
Dynamic Crystal Color

Contrast Enhancer
Sì

Micro Dimming
UHD Dimming

Clear Motion
LED Clear Motion

PQI (Picture Quality Index)
2200

HDR10+
Support

Contrast
Mega Contrast

Angolo di visione (orizz./vert.)
178/178

Audio

Dolby Decoder
MS12 2ch

Potenza Audio (RMS)
20W

Woofer
N/D

Object Tracking Sound
OTS Lite

Tipologia Altoparlanti
2CH

Bluetooth Audio
Sì

VESA

VESA Mount
200 x 200 mm

VESA Screw Depth
11-13

VESA Screw Size
M8

Convergence

TV to Mobile - Second TV
N/D

Ambient Mode
Ambient Mode

Easy Setup
N/D

WiFi Direct
Sì

Sound Mirroring
Sì

Mobile to TV - Mirroring, DLNA
Sì

360 Camera Support
N/D

Bluetooth Low Energy
N/D

TV Sound to Mobile
N/D

Caratteristiche generali

Voice Guide
UK English, Finnish, France French, German, Greek, Hungarian, Italian, Norwegian, Polish, Portugal Portuguese, Romanian, Slovak, Spain Spanish, Swedish, Czech, Danish, Dutch, Korean

Spegnimento Automatico
Sì

Connect Share™ (HDD)
Sì

EPG
Sì

Picture-In-Picture
N/D

Supporto USB HID
Sì

V-Chip
N/D

IPv6 Support
Sì

Ricerca Canali Automatica
Sì

Sottotitoli
Sì

ConnectShare™ (USB 2.0)
Sì

Lingue Supportate
27 European Languages + Russian(only when connecting to Network in EE,LV,LT)

BT HID Support
Sì

Teletext (TTX)
Sì

MBR Support
Sì

Sistema	Tuner Digitale / Satellitare DVB-T2CS2	Tuner Analogico Sì
	CI (Common Interface) CI+(1.4) / CI+(1.4 ECP)_IT only	Data Broadcasting HbbTV 2.0.3 (IT,GB,DE,CZ,SK,ES,PL,AT,FR,FI,EE,GR,SI,HR,BE,NL,LU,LT,H U,CH,PT,DK,ME,TR,RU)/MHEG 5(IE)

Hospitality Feature

H.Browser Compatibility N/D	Samsung LYNK™ REACH (IP) N/D
Samsung LYNK™ REACH (RF) N/D	Samsung LYNK™ Cloud Sì
Hospitality Home Menu N/D	Hospitality Home Menu 2.0 N/D
Bluetooth Music Player (Mobile → TV) N/D	Hospitality Plug&Play (Easy Set-up) Sì
Auto Source Mode N/D	Power On Mode Sì
Hotel Channel List Sì	Channel Menu Display Sì
Mixed Channel List (ATSC, DVB-T/T2/C/S2, Analog) Sì	My Channel Sì
Energy Saving Mode (BLU Control) Sì	Logo Display with Time Out Setting (BMP/Movie) N/D
Welcome Message N/D	RJ12/IR Pass Through Sì
Clock Back Up Supply N/D	Software Clock N/D
Multi Code Remote Control N/D	Music Mode (Input: PC/AV/Component/HDMI) N/D
Music Mode Backlight on/off N/D	TTX Clock Update (Analogue) Sì
USB Cloning Sì	Smovie Compatibility N/D
On/Off Timer (Schedule) N/D	Wake-up Timer (Alarm) Sì
Samsung LYNK™ DRM Sì	Pro:Idiom N/D
Pro:Idiom SW N/D	bLAN N/D
Security Mode Sì	S/W EPG (Solution EPG) N/D

Input & Output

	USB 2 x USB-A	Component In (Y/Pb/Pr) 0
	Composite In (AV) 0	Ethernet (LAN) 1
	Headphone N/D	Audio Out (Mini Jack / LR) (Side/Rear) N/D
	Digital Audio Out (Optical) 1	RF In (Terrestrial / Cable input / Satellite Input) 1/1(Common Use for Terrestrial)/1
	Ex-Link (Supports RS-232C Gender) N/D	CI Slot 1
	Supporto HDMI A / Return Ch. Sì	Wireless LAN Built-in Sì (WiFi5)
	Anynet+ (HDMI-CEC) Sì	Pillow Speaker Jack N/D
	Variable Audio Out N/D	Variable Audio Out Volume Control N/D
	Video Out N/D	RJ12 (Side/Rear) Sì
	RJP (Remote Jackpack) (Side/Rear) N/D	Headphone ID N/D
	PC/DVI Audio In (Mini Jack) (Side./Rear) N/D	Ethernet Bridge (LAN-Out) N/D

Design

	Colore Cornice NERO	Tipo di base FLOAT LIFT
	Base orientabile (Destra/Sinistra) N/D	Bezel Type 3 Bezel-less
	Light Effect (Deco) N/D	

Eco

	Classe di efficienza energetica G	Sensore Eco Sì
--	---	--------------------------

Alimentazione

Power Supply (V)
AC220-240V 50/60Hz

Consumo (Max)
160 W

Consumo (Modalità Energy Saving)
N/D

Consumo energetico (stand-by)
0.50 W

Consumo di energia (tipico)
88.0 W

Dimensioni

Dimensioni unità senza base (LxAxP)
1232.1 x 708.8 x 25.7 mm

Dimensioni unità con base (LxAxP)
1232.1 x 747.8 x 228.8 mm

Dimensioni Totali con imballaggio (LxAxP)
1399 x 846 x 148 mm

Peso

Peso senza base
15.5 kg

Peso con base
15.80 kg

Peso Totale con imballaggio
20.10 kg

Accessori

Telecomando
TM2280E(UK : TM2280E + TM1240A)

Batterie telecomando
N/D (UK Sì)

Samsung Smart Control (incluso)
Sì

Supporto Staffa Mini
Sì

Supporto Staffa VESA
Sì

Manuale Utente
N/D

E-Manual
N/D

ANT-Cable
N/D

Cavo di alimentazione
Sì

Quick Install Guide
Sì

Data Cable
Sì

Stand Mount Kit
N/D

Security Screws (Stand Base)
N/D

Optional Stand Support
Sì

Cavo Slim Gender
N/D

Screwed Battery Cover (Remote Control)
N/D

Angle Adaptor (for Side RF tuner)
N/D