

Specifiche

Display	Luce posteriore Crystal-UHD 4K	Dimensione dello schermo 65
	Risoluzione 4K (3,840 x 2,160)	
Video	Processore Quantum Processor Lite	Micro Dimming UHD Dimming
	Auto Motion Plus Sì	Clear Motion LED Clear Motion
	Modalità Film Sì	PQI (Picture Quality Index) 2200
	HDR(High Dynamic Range) HDR	HDR10+ Support
	HLG (Hybrid Log Gamma) Sì	Contrast Mega Contrast
	Colore Dynamic Crystal Color	Angolo di visione (orizz./vert.) 178/178
	Contrast Enhancer Sì	
Audio	Dolby Decoder MS12 2ch	Object Tracking Sound OTS Lite
	Potenza Audio (RMS) 20W	Tipologia Altoparlanti 2CH
	Woofer N/D	Bluetooth Audio Sì
VESA	VESA Mount 400 x 300 mm	VESA Screw Size M8
	VESA Screw Depth 11-13	

Convergence

TV to Mobile - Second TV
N/D

Ambient Mode
Ambient Mode

Easy Setup
N/D

WiFi Direct
Sì

Sound Mirroring
Sì

Mobile to TV - Mirroring, DLNA
Sì

360 Camera Support
N/D

Bluetooth Low Energy
N/D

TV Sound to Mobile
N/D

Caratteristiche generali

Voice Guide
UK English, Finnish, France French, German, Greek, Hungarian, Italian, Norwegian, Polish, Portugal Portuguese, Romanian, Slovak, Spain Spanish, Swedish, Czech, Danish, Dutch, Korean

Spegnimento Automatico
Sì

Connect Share™ (HDD)
Sì

EPG
Sì

Picture-In-Picture
N/D

Supporto USB HID
Sì

V-Chip
N/D

IPv6 Support
Sì

Ricerca Canali Automatica
Sì

Sottotitoli
Sì

ConnectShare™ (USB 2.0)
Sì

Lingue Supportate
27 European Languages + Russian(only when connecting to Network in EE,LV,LT)

BT HID Support
Sì

Teletext (TTX)
Sì

MBR Support
Sì

Sistema	Tuner Digitale / Satellitare DVB-T2CS2	Tuner Analogico Sì
	CI (Common Interface) CI+(1.4) / CI+(1.4 ECP)_IT only	Data Broadcasting HbbTV 2.0.3 (IT,GB,DE,CZ,SK,ES,PL,AT,FR,FI,EE,GR,SI,HR,BE,NL,LU,LT,H U,CH,PT,DK,ME,TR,RU)/MHEG 5(IE)

Hospitality Feature

H.Browser Compatibility N/D	Samsung LYNK™ REACH (IP) N/D
Samsung LYNK™ REACH (RF) N/D	Samsung LYNK™ Cloud Sì
Hospitality Home Menu N/D	Hospitality Home Menu 2.0 N/D
Bluetooth Music Player (Mobile → TV) N/D	Hospitality Plug&Play (Easy Set-up) Sì
Auto Source Mode N/D	Power On Mode Sì
Hotel Channel List Sì	Channel Menu Display Sì
Mixed Channel List (ATSC, DVB-T/T2/C/S2, Analog) Sì	My Channel Sì
Energy Saving Mode (BLU Control) Sì	Logo Display with Time Out Setting (BMP/Movie) N/D
Welcome Message N/D	RJ12/IR Pass Through Sì
Clock Back Up Supply N/D	Software Clock N/D
Multi Code Remote Control N/D	Music Mode (Input: PC/AV/Component/HDMI) N/D
Music Mode Backlight on/off N/D	TTX Clock Update (Analogue) Sì
USB Cloning Sì	Smovie Compatibility N/D
On/Off Timer (Schedule) N/D	Wake-up Timer (Alarm) Sì
Samsung LYNK™ DRM Sì	Pro:Idiom N/D
Pro:Idiom SW N/D	bLAN N/D
Security Mode Sì	S/W EPG (Solution EPG) N/D

Input & Output

	USB 2 x USB-A	Component In (Y/Pb/Pr) 0
	Composite In (AV) 0	Ethernet (LAN) 1
	Headphone N/D	Audio Out (Mini Jack / LR) (Side/Rear) N/D
	Digital Audio Out (Optical) 1	RF In (Terrestrial / Cable input / Satellite Input) 1/1(Common Use for Terrestrial)/1
	Ex-Link (Supports RS-232C Gender) N/D	CI Slot 1
	Supporto HDMI A / Return Ch. Sì	Wireless LAN Built-in Sì (WiFi5)
	Anynet+ (HDMI-CEC) Sì	Pillow Speaker Jack N/D
	Variable Audio Out N/D	Variable Audio Out Volume Control N/D
	Video Out N/D	RJ12 (Side/Rear) Sì
	RJP (Remote Jackpack) (Side/Rear) N/D	Headphone ID N/D
	PC/DVI Audio In (Mini Jack) (Side./Rear) N/D	Ethernet Bridge (LAN-Out) N/D

Design

	Colore Cornice NERO	Tipo di base FLOAT LIFT
	Base orientabile (Destra/Sinistra) N/D	Bezel Type 3 Bezel-less
	Light Effect (Deco) N/D	

Eco

	Classe di efficienza energetica G	Sensore Eco Sì
--	---	--------------------------

Alimentazione

Power Supply (V) AC220-240V 50/60Hz	Consumo (Max) 205 W
Consumo (Modalità Energy Saving) N/D	Consumo energetico (stand-by) 0.50 W
Consumo di energia (tipico) 124 W	

Dimensioni

Dimensioni unità senza base (LxAxP) 1450.9 x 831.9 x 25.7 mm	Dimensioni unità con base (LxAxP) 1450.9 x 869.6 x 281.8 mm
Dimensioni Totali con imballaggio (LxAxP) 1612 x 950 x 164 mm	

Peso

Peso senza base 20.9 kg	Peso con base 21.3 kg
Peso Totale con imballaggio 28.3 kg	

Accessori

Telecomando TM2280E(UK : TM2280E + TM1240A)	Batterie telecomando N/D (UK Sì)
Samsung Smart Control (incluso) Sì	Supporto Staffa Mini Sì
Supporto Staffa VESA Sì	Manuale Utente N/D
E-Manual N/D	ANT-Cable N/D
Cavo di alimentazione Sì	Quick Install Guide Sì
Data Cable Sì	Stand Mount Kit N/D
Security Screws (Stand Base) N/D	Optional Stand Support Sì
Cavo Slim Gender N/D	Screwed Battery Cover (Remote Control) N/D
Angle Adaptor (for Side RF tuner) N/D	